

CIRCUIT RACING SLICKS - BIAS

| ITEM NUMBER | TIRE SIZE | APPLICATION | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND |
|-------------|---------------------|--------------------|-------------|--------------|--------------|------------------|--------------------|---------------|-----------------|
| 43100 | 18.0 x 6.0-10 | F500 | 6.2" | 18.1" | 57.0" | 6" | 6" | 8.1" | R20, R35B |
| 43104 | 18.0 x 7.5-10 | F500 | 7.5" | 18.3" | 57.5" | 7-8" | 8" | 9.5" | R20, R35B |
| 43130 | 20.0 x 6.0-13 | CF | 6.0" | 20.7" | 65.0" | 5.5-6.5" | 5.5" | 7.0" | R60A |
| 43140 | 20.0 x 7.0-13 | Sidecar | 6.7" | 20.2" | 63.5" | 6-8" | 6" | 7.4" | R20 |
| 43164 | 20.5 x 7.0-13 | FB, FC, FM, SR | 6.75" | 21.0" | 66.2" | 6-8" | 6" | 8.0" | R20, R35B, R60A |
| 43167 | 20.0 x 7.5-13 | SR, Sidecar | 8.0" | 20.6" | 65.0" | 6-9" | 8" | 9.4" | R20, R35B |
| 43173 | 20.0 x 8.0-13 CL | FP, HP, GT3, GTL | 8.2" | 19.8" | 63.5" | 5-6" | 6" | 9.2" | MS |
| 43187 | 20.0 x 9.0-13 | FA, SR | 9.75" | 20.6" | 64.7" | 8-10" | 10" | 11.0" | R20, R35B |
| 43193 | 20.0 x 9.5-13 CL | EP, FP, GT3, GTL | 9.4" | 20.0" | 63.0" | 7" | 7" | 10.5" | MS |
| 43195 | 20.0 x 10.0-13 | Sidecar | 10.0" | 19.8" | 62.4" | 9-11.0" | 10" | 11.6" | R20 |
| 43272 | 22.0 x 8.0-13 | SCCA-FE | 8.0" | 22.0" | 69.0" | 7-9" | 8" | 9.6" | FE |
| 43285 | 22.0 x 8.0-13 | FB, FC, FM, S2 | 8.0" | 22.0" | 69.0" | 7-9" | 8" | 9.6" | R20, R35B, R60A |
| 43290 | 22.0 x 9.0-13 | FA, FB, FC, FM, S2 | 8.8" | 22.1" | 69.5" | 8-10" | 8" | 10.0" | R20, R35B, R60A |
| 43305 | 22.5 x 7.2-13 | CF | 7.25" | 22.6" | 71.0" | 5.5" | 5.5" | 9.8" | R20 |
| 43307 | 22.5 x 7.2-13 | CF | 7.25" | 22.6" | 71.0" | 5.5" | 5.5" | 9.8" | R60A |
| 43312 | 22.0 x 10.0-13 | SCCA-FE | 9.8" | 22.6" | 71.0" | 8-10" | 10" | 11.6" | FE |
| 43313 | 22.5 x 10.0-13 | SR | 9.8" | 22.6" | 71.0" | 8-10" | 10" | 11.6" | R20, R35B |
| 43316 | 23.0 x 12.0-13 | FA, SR | 12.0" | 23.6" | 74.1" | 12-15" | 15" | 15.9" | R20 |
| 43337 | 21.0 x 5.0-15 C4000 | FV | 5.0" | 21.2" | 66.5" | 4" | 4" | 5.5" | FVS |
| 43353 | 22.5 x 5.5-15 C4000 | FV | 5.5" | 21.9" | 69.0" | 4" | 4" | 6.5" | FVS |

ALL TREAD PATTERNS SLICK



COMPOUND



R20

R35B

MS,FE
R60A

FVS



CIRCUIT RACING SLICKS - RADIAL

| ITEM NUMBER | TIRE SIZE | APPLICATION | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND |
|-------------|-------------|------------------------|-------------|--------------|--------------|------------------|--------------------|---------------|-------------|
| 43322 | 185/60R13 | FF | 6.4" | 21.8" | 68.7" | 5.5" | 5.5" | 7.7" | R60A |
| 43327 | 205/60R13 | FF | 8.0" | 22.7" | 71.4" | 5.5" | 5.5" | 8.7" | R60A |
| 43359 | 200/540R13 | F4 Front | 7.9" | 21.3" | 67.0" | 9" | 8-9" | 9.7" | SS1 |
| 43360 | 200/540R13 | P1, P2 Front | 7.9" | 21.3" | 67.0" | 9" | 8-9" | 9.7" | S2 |
| 43362 | 210/550R13 | Pro Mazda/Norma Front | 8.7" | 21.8" | 68.5" | 8-10" | 10" | 10.5" | S2 |
| 43363 | 240/580R13 | Proto/F3 Front/F4 Rear | 9.4" | 22.9" | 72.0" | 10" | 9-10" | 10.7" | S2, MS, SS1 |
| 43364 | 250/575R13 | Hill Climb, F4 Rear | 10.0" | 22.7" | 71.3" | 10" | 9-10" | 10.9" | SS1 |
| 43367 | 275/570R13 | P1, P2 Rear, Pro Mazda | 10.75" | 22.5" | 70.7" | 12" | 11-12" | 12.56" | SS1, S2 |
| 43368 | 300/590R13 | F3 | 12.0" | 23.1" | 72.8" | 12.5" | 12-13" | 13.8" | S2, MS |
| 43379 | 20.5x7.0R13 | Sports 2000 Front | 7.3" | 20.8" | 65.3" | 6-7" | 6" | 7.7" | MS |
| 43380 | 22.5x8.0R13 | Sports 2000 Rear | 8.4" | 22.4" | 70.3" | 7-8" | 8" | 9.6" | MS |
| 43550 | 215/530R13 | PROD., GT, GTL | 8.3" | 20.8" | 65.4" | 6-7" | 7" | 8.8" | MS, M |
| 43554 | 200/580R15 | Radical Front | 8.0" | 22.9" | 71.9" | 6.5-8" | 8" | 8.8" | MS |
| 43560 | 215/580R15 | EP, FP, HP | 8.6" | 22.9" | 71.8" | 7-9" | 7" | 9.7" | MS |
| 43566 | 240/580R15 | EP, FP, GT3 | 9.0" | 22.9" | 72.0" | 7" | 7-10" | 9.6" | MS, M |
| 43570 | 240/580R15 | FA/Indy Lights | 9.4" | 22.9" | 72.0" | 10" | 10" | 10.7" | S |
| 43578 | 330/620R15 | FA/Indy Lights | 13.5" | 24.5" | 76.5" | 14" | 14" | 14.8" | S |
| 43589 | 330/700R15 | SCCA GT2 | 11.9" | 27.7" | 87.1" | 10-10.5" | 10" | 13.0" | M |
| 43605 | 265/605R16 | Radical Rear | 9.7" | 23.9" | 75.1" | 9-10" | 10" | 10.9" | MS |

REFER TO INSIDE FRONT COVER FOR NO WARRANTY POLICY AND WARNINGS.

INDEPENDENT DEALERS MUST ESTABLISH THEIR OWN PRICES.
FOR PRICING CONTACT YOUR NEAREST DISTRIBUTOR ON BACK OF CATALOG.

CIRCUIT RACING SLICKS - RADIAL (CONTINUED)

| ITEM NUMBER | TIRE SIZE | APPLICATION | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND |
|-------------|----------------|---------------------|-------------|--------------|---------------|------------------|--------------------|---------------|----------|
| 43654 | 23.5 x 11.0R16 | GT2 | 10.6" | 23.6" | 74.0" | 10" | 10" | 11.0" | S, MS |
| 43659 | 23.5 x 12.0R16 | GT2 | 12.0" | 23.5" | 73.8" | 10-12" | 12" | 13.0" | S, MS |
| 43673 | 25.5 x 12.5R16 | GT2 | 12.4" | 25.8" | 81.0" | 10-12" | 12" | 13.5" | S, MS |
| 43674 | 25.5 x 14.0R16 | Autocross | 13.6" | 25.7" | 80.9" | 12" | 12" | 14.1" | S |
| 43675 | 355/650R16 | GT1 | 13.6" | 25.7" | 80.9" | 12" | 12" | 14.1" | S2 |
| 43698 | 365/720R16 | GT1 | 13.9" | 28.2" | 88.5" | 13" | 13" | 15.1" | S2 |
| 43711 | 200/610R17 | Polo / Clio Cup | 7.7" | 23.9" | 75.0" | 7-8" | 7.5" | 8.2" | MH |
| 43724 | 240/610R17 | GT Cars / Club | 9.0" | 23.9" | 75.1" | 9" | 9" | 9.75" | MH |
| 43726 | 235/620R17 | NASA Prototype | 8.8" | 24.3" | 76.5" | 9" | 9" | 9.6" | NP01X |
| 43731 | 240/610R17 | Hill Climb | 9.1" | 23.9" | 75.1" | 8.5-9.5" | 9.5" | 10.1" | S, MS |
| 43740 | 265/630R17 | GT Cars / Club | 10.1" | 25.5" | 80.0" | 9-10" | 10" | 10.9" | M, MH |
| 43822 | 240/640R18 | Slick | 9.1" | 25.6" | 80.4" | 8-9.5" | 9.0" | 9.8" | M |
| 43838 | 265/650R18 | TCR | 10.1" | 25.5" | 80.0" | 9-10" | 10" | 10.9" | MH |
| 43849 | 280/680R18 | Slick | 10.0" | 25.5" | 80.0" | 9-11" | 10" | 11.3" | MH |
| 43850 | 285/650R18 | GT Cars / Club | 11.0" | 25.5" | 80.5" | 10-12" | 11" | 11.9" | M, MH |
| 43869 | 310/650R18 | GT Cars/Club | 11.6" | 25.8" | 81.1" | 11-13" | 12" | 12.8" | M, MH |
| 43874 | 310/680R18 | GT Cars / Club | 11.6" | 26.8" | 84.3" | 11-13" | 12" | 13.1" | M, MH |
| 43892 | 325/710R18 | GT Cars / Club Rear | 12.0" | 27.7" | 87.0" | 11-13" | 13" | 13.7" | M, MH |
| 43894 | 355/650R18 | GT1 | 13.5" | 25.8" | 81.0" | 12-13" | 13" | 14.1" | S2 |
| 43898 | 365/720R18 | GT1 | 14.5" | 28.2" | 88.6" | 13-14" | 14" | 16.0" | S2 |

ALL TREAD PATTERNS SLICK



COMPOUND



SS1 | S | S2 | MS | M | MH

FSAE SLICK



CIRCUIT RACING WETS - BIAS

| ITEM NUMBER | TIRE SIZE | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND |
|-------------|--------------------|-------------------|-------------|--------------|---------------|------------------|--------------------|---------------|-----------------------------|
| 44115 | 18.0 x 6.0-10 W3 | FSAE Wet | 6.2" | 17.8" | 56.0" | 6-8" | 6" | 7.8" | F500, FSAE |
| 44125 | 19.5 x 6.5-10 W3 | Circuit Wet | 6.2" | 19.7" | 62.0" | 6-8" | 8" | 8.2" | F500 |
| 44150 | 20.0 x 7.5-13 W3 | Circuit Wet | 7.4" | 20.6" | 64.6" | 7-8" | 7" | 8.3" | FA, P1, P2 |
| 44140 | 20.0 x 6.5-13 W3 | Circuit Wet | 6.1" | 20.5" | 64.5" | 6-7" | 6" | 7.2" | Sidecar |
| 44185 | 21.0 x 6.5-13 W3 | Circuit Wet | 6.7" | 21.2" | 66.5" | 6-8" | 6" | 7.2" | FF, FM, FC, S2000, F1000 |
| 44196 | 22.0 x 8.0-13 W3 | Circuit Wet | 7.8" | 22.0" | 69.0" | 8.0" | 8" | 8.9" | SCCA-FE, FC, F1000 |
| 44217 | 22.0 x 9.0-13 W3 | Circuit Wet | 9.6" | 22.6" | 71.0" | 8.5-10" | 9" | 10.6" | SCCA-FE, FC, FA, FM, P1, P2 |
| 44266 | 22.5 x 5.0-15 W3 | Circuit Wet | 5.0" | 22.0" | 69.2" | 4.0" | 4" | 6.5" | FV |
| 44307 | 27.0 x 10.0-15 Wet | Vintage Wet | 10.0" | 27.0" | 84.0" | 10-11" | 10" | 12.5" | HSC/GTA |
| 44442 | 20.5x7.0R13 | Sports 2000 Front | 7.3" | 20.8" | 65.2" | 6-7" | 6" | 7.6" | W3 |
| 44443 | 22.5x8.0R13 | Sports 2000 Rear | 8.3" | 22.4" | 70.3" | 7-8" | 8" | 9.0" | W3 |

CIRCUIT WET



VINTAGE WET



FSAE WET



CIRCUIT RACING WETS - RADIALS

| ITEM NUMBER | TIRE SIZE | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | APPLICATION |
|-------------|--------------------|--------------------|-------------|--------------|---------------|------------------|--------------------|---------------|---------------------|
| 44330 | 200/540R13 W3 | Circuit Radial Wet | 7.4" | 21.3" | 67.0" | 8-9.0" | 9.0" | 9.4" | F4, P1, P2 |
| 44333 | 250/575R13 W3 | Circuit Radial Wet | 10.0" | 22.7" | 71.3" | 10-11" | 10.0" | 10.0" | F4, P1, P2 |
| 44335 | 200/540R13 W3 | Circuit Radial Wet | 7.4" | 21.3" | 66.8" | 8-9.0" | 8.0" | 9.0" | F4, P1, P2 |
| 44336 | 250/575R13 W3 | Circuit Radial Wet | 10.0" | 22.6" | 71.0" | 10-11" | 10.0" | 11.4" | F4, P1, P2 |
| 44421 | 185/60R13 W3 | DOT Radial Wet | 6.5" | 21.7" | 68.0" | 5.5" | 5.5" | 7.5" | FF |
| 44426 | 205/60R13 W3 | DOT Radial Wet | 7.4" | 23.2" | 72.5" | 5.5" | 5.5" | 8.4" | FF |
| 44511 | 23.0 x 9.0R-15 W3 | Circuit Radial Wet | 9.4" | 23.0" | 72.3" | 10" | 10" | 10.7" | FA |
| 44516 | 24.5 x 13.0R-15 W3 | Circuit Radial Wet | 13.0" | 24.4" | 76.6" | 14" | 14" | 15.1" | FA |
| 44593 | 330/700R15 WET | SC Radial Wet | 12.5" | 27.6" | 86.9" | 10-10.5" | 10" | 13.0" | NASCAR EURO/TA2/HSC |
| 44670 | 25.5 x 12.0R-16 W2 | Circuit Radial Wet | 12.2" | 25.7" | 80.9" | 12" | 12" | 13.2" | GT1 |
| 44690 | 28.0 x 12.5R-16 W2 | Circuit Radial Wet | 13.6" | 27.3" | 85.7" | 12" | 12" | 14.2" | GT1 |

CIRCUIT RADIAL WET



DOT RADIAL WET



VINTAGE SPORTSCAR

| ITEM NUMBER | TIRE SIZE | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | MODEL |
|-------------|----------------|----------------|-------------|--------------|---------------|------------------|--------------------|---------------|---------------------------------|
| 43589 | 330/700R15 | Slick (radial) | 11.9" | 27.7" | 87.1" | 10-10.5" | 10" | 13" | Historic Stock Car - M |
| 44391 | 19.0 x 5.0-10 | T.D.R. | 5.2" | 18.8" | 59.0" | 5-6" | 5.5" | 7.8" | HOOSIER T.D. R |
| 44355 | 20.5 x 6.0-13 | T.D.R. | 6.2" | 20.6" | 64.7" | 5-7" | 5.0" | 7.0" | HOOSIER T.D. R |
| 44356 | 20.5 x 8.0-13 | T.D.R. | 7.8" | 20.8" | 65.5" | 6.5-8" | 7.5" | 9.0" | HOOSIER T.D. R |
| 44365 | 22.5 x 6.0-13 | T.D.R. | 6.2" | 22.4" | 70.3" | 5-7" | 5.0" | 7.5" | HOOSIER T.D. R |
| 44375 | 22.5 x 7.5-13 | T.D.R. | 7.8" | 22.2" | 69.6" | 6.5-8.5" | 7.0" | 9" | HOOSIER T.D. R |
| 44415 | 23.0 x 6.5-14 | T.D.R. | 7.2" | 23.0" | 72.3" | 5.5-8" | 5.5" | 8.3" | HOOSIER T.D. R |
| 44416 | 23.0 x 7.5-14 | T.D.R. | 7.8" | 23.0" | 72.5" | 6-9" | 6.0" | 8.8" | HOOSIER T.D. R |
| 44561 | 23.0 x 6.5-15 | T.D.R. | 6.7" | 23.0" | 72.5" | 5.5-7" | 6.0" | 7.6" | HOOSIER T.D. R |
| 44562 | 23.0 x 7.5-15 | T.D.R. | 7.6" | 23.0" | 72.5" | 6.5-8.5" | 7.5" | 8.5" | HOOSIER T.D. R |
| 44563 | 24.0 x 7.0-15 | T.D.R. | 7.0" | 24.0" | 75.5" | 6-8.5" | 6.0" | 8.5" | HOOSIER T.D. R |
| 44564 | 24.0 x 8.5-15 | T.D.R. | 8.5" | 24.0" | 75.5" | 7.0-9.5" | 8.0" | 10.0" | HOOSIER T.D. R |
| 44566 | 25.5 x 8.0-15 | T.D.R. | 8.0" | 25.2" | 79.2" | 6-9" | 6.0" | 9.2" | HOOSIER T.D. R |
| 44287 | 25.5 x 8.5-15 | T.D.R. | 8.5" | 25.2" | 79.2" | 7-10" | 8.0" | 10.3" | HOOSIER T.D. R |
| 44297 | 25.5 x 10.0-15 | T.D.R. | 10.0" | 25.8" | 81.0" | 8-11" | 8.0" | 11.2" | HOOSIER T.D. R |
| 44308 | 26.5 x 9.5-15 | T.D.R. | 9.5" | 26.6" | 83.5" | 8-10" | 8.0" | 11.0" | HOOSIER T.D. R |
| 44309 | 26.5 x 11.0-15 | T.D.R. | 10.4" | 27.0" | 84.9" | 9-12" | 12.0" | 13.6" | HOOSIER T.D. R |
| 44317 | 27.5 x 11.0-15 | T.D.R. | 11.0" | 27.7" | 87.0" | 10-13" | 10.0" | 13.2" | HOOSIER T.D. R |
| 44337 | 24.0 x 8.5-16 | T.D.R. | 8.2" | 24.1" | 75.4" | 8-10" | 8.0" | 10.5" | HOOSIER T.D. R, Iroc Porsche FT |
| 44347 | 25.5 x 10.0-16 | T.D.R. | 10.0" | 25.6" | 80.5" | 9-11" | 9.0" | 11.3" | HOOSIER T.D. R, Iroc Porsche RT |
| 44380 | 22.0 x 7.0-13 | Vintage | 6.8" | 20.9" | 68.8" | 5.5-7.5" | 5.5" | 7.8" | VINTAGE WET-H20 |
| 44400 | 5.00-15 | Vintage | 5.2" | 24.7" | 77.6" | 4-6" | 4.0" | 7.0" | VINTAGE T.D. |
| 44410 | 5.50-15 | Vintage | 6.5" | 24.7" | 77.6" | 4.5-7" | 4.5" | 7.7" | VINTAGE T.D. |

SLICK



TDR



VINTAGE



VINTAGE FORMULA

| ITEM NUMBER | TIRE SIZE | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | MODEL | COMPOUND |
|-------------|----------------|----------------|-------------|--------------|--------------|------------------|--------------------|---------------|--------------|--------------|
| 43195 | 20.0 x 10.0-13 | Slick | 10.0" | 19.8" | 62.4" | 9-11" | 10.0" | 11.6" | F5000 | R20 |
| 43385 | 23.5 x 10.5-15 | Slick | 10.8" | 23.4" | 73.6" | 10-12" | 11.5" | 13.0" | F5000/CanAm | R20 |
| 43320 | 26.0 x 15.0-13 | Slick | 15.0" | 26.0" | 81.6" | 15-17" | 15.0" | 17.1" | F5000/CanAm | R20 |
| 43391 | 26.0 x 15.0-15 | Slick | 15.0" | 26.0" | 81.6" | 15-17" | 15.0" | 17.1" | F5000/CanAm | R20 |
| 43570 | 240/580R15 | Slick (radial) | 9.4" | 22.9" | 72" | 10" | 10" | 10.7" | Indy Lights | S |
| 43578 | 330/620R15 | Slick (radial) | 13.5" | 24.5" | 76.5" | 14" | 14" | 14.8" | Indy Lights | S |
| 43575 | 275/650R15 | Slick (radial) | 10.0" | 25.4" | 79.8" | 10" | 10" | 11.3" | Indy Car | MS |
| 43596 | 350/700R15 | Slick (radial) | 13.4" | 27.4" | 86.2" | 15" | 15" | 16" | Indy Car | MS |
| 44165 | 135/545-13 | Vintage | 5.4" | 21.3" | 67.0" | 5.5" | 5.0" | 6.6" | Formula Ford | VFF |
| 44170 | 165/580-13 | Vintage | 6.8" | 22.7" | 71.2" | 5.5" | 6.0" | 8.5" | Formula Ford | VFF |
| 44206 | 21.0 x 9.0-13 | Vintage | 9.125" | 20.9" | 65.6" | 10.0" | 10.0" | 10.5" | Formula B | R35B |
| 44226 | 23.0 x 12.0-13 | Vintage | 13.0" | 23.3" | 73.25" | 13.0" | 13.0" | 14.375" | Formula B | R35B |
| 44405 | 120/590-15 | Vintage | 4.8" | 22.6" | 70.9" | 4.5" | 4.5" | 6.1" | Formula Vee | VINTAGE T.D. |
| 44408 | 135/620-15 | Vintage | 5.6" | 24.1" | 75.6" | 4.5" | 4.5" | 6.9" | Formula Vee | VINTAGE T.D. |



VINTAGE T-SECTION

| ITEM NUMBER | TIRE SIZE | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | MODEL |
|-------------|-----------|---------------|-------------|--------------|--------------|------------------|--------------------|---------------|---------------|
| 44450 | 5.00T10 | Vintage | 4.8" | 19.6" | 61.5" | 5.0-6.0" | 5.0" | 6.8" | Renner Racing |
| 44452 | 4.50T12 | Vintage | 4.7" | 21.1" | 66.3" | 5.0-6.0" | 5.0" | 6.9" | Renner Racing |
| 44454 | 4.50T13 | Vintage | 4.6" | 22.2" | 69.7" | 5.0-6.0" | 5.0" | 6.6" | Renner Racing |
| 44456 | 5.50T13 | Vintage | 5.2" | 23.8" | 74.7" | 5.0-6.0" | 5.5" | 8.3" | Renner Racing |
| 44458 | 5.50T14 | Vintage | 5.1" | 24.7" | 77.6" | 5.0-6.0" | 5.5" | 7.8" | Renner Racing |
| 44460 | 4.50T15 | Vintage | 4.1" | 24.0" | 75.4" | 5.0-6.0" | 5.0" | 6.3" | Renner Racing |
| 44462 | 5.00T15 | Vintage | 4.8" | 24.7" | 77.6" | 5.0-6.0" | 6.0" | 7.7" | Renner Racing |
| 44464 | 5.50T15 | Vintage | 5.1" | 25.5" | 80.1" | 6.0-7.0" | 6.5" | 8.2" | Renner Racing |
| 44466 | 6.00T15 | Vintage | 5.5" | 26.7" | 83.8" | 6.5-7.5" | 7.0" | 9.2" | Renner Racing |
| 44468 | 6.50T15 | Vintage | 5.8" | 27.3" | 85.7" | 7.0-8.0" | 7.5" | 9.9" | Renner Racing |
| 44470 | 7.00T15 | Vintage | 6.8" | 27.6" | 86.7" | 8.0-9.0" | 8.5" | 11" | Renner Racing |
| 44472 | 6.00T16 | Vintage | 5.0" | 27.6" | 86.7" | 5.5-6.5" | 6.0" | 8.3" | Renner Racing |



VINTAGE RADIAL

| ITEM NUMBER | TIRE SIZE | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH |
|-------------|------------|---------------|-------------|--------------|--------------|------------------|--------------------|---------------|
| 46003 | P205/60R13 | Speedster | 7.3" | 22.7" | 71.2" | 5.5-7" | 6.0" | 8.4" |
| 46011 | P185/65R15 | Speedster | 6.4" | 24.2" | 76.0" | 5-7" | 5.0" | 7.0" |
| 46016 | P205/60R15 | Speedster | 7.3" | 24.2" | 76.0" | 5.5-8" | 6.5" | 8.2" |
| 46021 | P225/50R15 | Speedster | 8.1" | 24.2" | 76.0" | 6.5-9" | 7.0" | 9.125" |

SPEEDSTER



CIRCUIT RACING D.O.T. - RADIAL

| ITEM NUMBER | TIRE SIZE | LOAD/SPEED RATING | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | A7 | R7 |
|-------------|-------------------|-------------------|---------------|-------------|--------------|--------------|------------------|--------------------|---------------|----|----|
| 46302 | P185/60ZR13 | 80W | A7 / R7 | 6.9" | 21.9" | 68.7" | 5.0-7.0" | 5.5" | 7.8" | | X |
| 46304 | P205/60ZR13 | 86W | A7 / R7 | 8.0" | 22.8" | 71.5" | 6.0-7.5" | 7.0" | 9.4" | | X |
| 46309 | P225/45ZR13 | 77W | A7 / R7 | 8.5" | 20.9" | 65.8" | 7.0-8.5" | 7.5" | 9.3" | X | X |
| 46322 | P255/40ZR13 | 82W | A7 / R7 | 9.5" | 20.9" | 65.6" | 8.5-10.0" | 9.0" | 10.5" | X | |
| 46406 | P205/55ZR14 | 85W | A7 / R7 | 8.1" | 22.8" | 71.6" | 5.5-7.5" | 7.0" | 9.1" | | X |
| 46502 | P205/50ZR15 | 84W | A7 / R7 | 8.0" | 22.8" | 71.8" | 5.5-7.5" | 6.5" | 8.5" | X | X |
| 46503 | P205/50ZR15 SM7.5 | 84W | A7 / R7 | 8.0" | 22.8" | 71.8" | 5.5-7.5" | 6.5" | 8.5" | | X |
| 46511 | P225/45ZR15 | 81W | A7 / R7 | 8.6" | 22.8" | 71.8" | 7.0-8.5" | 7.5" | 9.3" | X | X |
| 46516 | P225/50ZR15 | 90W | A7 / R7 | 8.8" | 23.8" | 74.8" | 6.0-8.0" | 7.0" | 9.7" | | X |
| 46522 | P245/40ZR15 | 83W | A7 / R7 | 9.0" | 23.0" | 72.0" | 7.0-9.0" | 8.5" | 10.0" | X | X |
| 46526 | P245/50ZR15 | 95W | A7 / R7 | 9.4" | 24.4" | 76.2" | 7.0-9.0" | 7.5" | 10.3" | | X |
| 46536 | P275/35ZR15 | 82W | A7 / R7 | 10.1" | 23.0" | 72.2" | 9.0-11.0" | 9.5" | 10.8" | X | X |
| 46540 | P275/50ZR15 | 101W | A7 / R7 | 10.0" | 25.5" | 80.0" | 7.5-9.5" | 8.0" | 10.8" | | X |
| 46560 | P295/35ZR15 | 86W | A7 / R7 | 10.5" | 23.0" | 72.3" | 9.0-11.0" | 10.0" | 11.6" | X | X |
| 46601 | P205/45ZR16 | 77W | A7 / R7 | 8.0" | 23.0" | 72.1" | 7.0-8.5" | 7.0" | 8.5" | X | X |
| 46611 | P225/50ZR16 | 91W | A7 / R7 | 8.8" | 24.7" | 77.6" | 7.0-9.0" | 7.0" | 9.4" | | X |
| 46616 | P245/45ZR16 | 88W | A7 / R7 | 9.5" | 24.4" | 76.5" | 7.5-9.0" | 8.0" | 10.3" | | X |
| 46630 | P275/45ZR16 | 94W | A7 / R7 | 10.3" | 25.6" | 80.5" | 9.0-11.0" | 9.0" | 11.2" | | X |
| 46706 | P225/40ZR17 | 81W | A7 / R7 | 9.0" | 23.8" | 74.8" | 7.0-9.0" | 8.0" | 9.6" | X | X |
| 46711 | P225/45ZR17 | 84W | A7 / R7 | 9.0" | 24.7" | 77.8" | 7.0-9.0" | 7.5" | 11 | X | X |
| 46716 | P245/40ZR17 | 86W | A7 / R7 | 9.7" | 24.3" | 76.0" | 8.0-9.5" | 8.5" | 10.3" | X | X |
| 46721 | P245/45ZR17 | 89W | A7 / R7 | 9.3" | 25.5" | 80.0" | 7.5-9.0" | 8.0" | 10 | | X |
| 46729 | P275/35ZR17 | 85W | A7 / R7 | 10.3" | 24.7" | 77.7" | 9.0-11.0" | 9.5" | 11.0" | X | X |
| 46730 | P275/40ZR17 | 93W | A7 / R7 | 10.3" | 25.5" | 80.1" | 9.0-11.0" | 9.5" | 11.0" | X | X |
| 46735 | P315/35ZR17 | 93W | A7 / R7 | 11.8" | 25.6" | 80.4" | 11.0-12.0" | 11.0" | 12.6" | X | X |
| 46740 | P335/35ZR17 | 97W | A7 / R7 | 12.9" | 25.6" | 80.5" | 11.0-13.0" | 12.0" | 13.6" | X | |
| 46811 | P225/40ZR18 | 83W | A7 / R7 | 8.8" | 24.7" | 77.6" | 7.0-9.0" | 8.0" | 9.6" | | X |
| 46821 | P245/35ZR18 | 80W | A7 / R7 | 9.4" | 24.4" | 76.7" | 8.0-9.5" | 8.5" | 9.9" | X | X |
| 46826 | P245/40ZR18 | 88W | A7 / R7 | 9.0" | 25.4" | 79.8" | 8.0-9.5" | 8.5" | 10.3" | X | X |
| 46832 | P255/35ZR18 | 82W | A7 / R7 | 10.3" | 24.8" | 77.8" | 9.0-11.0" | 9.0" | 10.8" | X | X |
| 46840 | P285/30ZR18 | 86W | A7 / R7 | 10.9" | 24.9" | 78.1" | 10.0-12.0" | 10.0" | 11.5" | X | X |
| 46843 | P295/30ZR18 | 88W | A7 / R7 | 10.8" | 25.3" | 79.5" | 10.0-12.0" | 10.0" | 11.6" | X | X |
| 46821 | P245/35ZR18 | 80W | A7 / R7 | 9.4" | 24.4" | 76.7" | 8.0-9.5" | 8.5" | 9.9" | X | X |
| 46836 | P275/35ZR18 | 87W | A7 / R7 | 10.3" | 25.5" | 80.2" | 9.0-11.0" | 9.5" | 10.7" | X | X |
| 46840 | P285/30ZR18 | 86W | A7 / R7 | 10.9" | 24.9" | 78.1" | 10.0-12.0" | 10.0" | 10.0" | X | X |
| 46843 | P295/30ZR18 | 88W | A7 / R7 | 10.8" | 25.3" | 78.1" | 10.0-12.0" | 10.0" | 11.5" | X | X |
| 46844 | P295/40ZR18 | 98W | A7 / R7 | 10.4" | 27.2" | 85.6" | 10.0-12.0" | 10.5" | 11.9" | | X |
| 46846 | P315/30ZR18 | 91W | A7 / R7 | 11.8" | 25.6" | 80.5" | 11.0-12.0" | 11.0" | 12.5" | X | X |
| 46847 | P315/40ZR18 | 102W | A7 / R7 | 11.3" | 27.3" | 85.7" | 10.5-12.5" | 11.0" | 13.2" | | X |

CIRCUIT RACING D.O.T. - RADIAL (CONTINUED)

| ITEM NUMBER | TIRE SIZE | LOAD/SPEED RATING | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | A7 | R7 |
|-------------|-------------|-------------------|---------------|-------------|--------------|--------------|------------------|--------------------|---------------|----|----|
| 46850 | P335/30ZR18 | 95W | A7 / R7 | 12.8" | 25.6" | 80.5" | 12.0-13.0" | 12.0" | 13.5" | X | X |
| 46855 | P345/35ZR18 | 100W | A7 / R7 | 13.2" | 26.8" | 84.2" | 11.0-13.0" | 12.0" | 13.9" | X | X |
| 46916 | P235/35ZR19 | 79W | A7 / R7 | 9.25" | 25.6" | 80.5" | 8.0-9.5" | 9.0" | 10.2" | X | X |
| 46925 | P265/35ZR19 | 86W | A7 / R7 | 9.6" | 26.2" | 82.3" | 9.0-10.0" | 9.0" | 10.4" | X | X |
| 46935 | P295/30ZR19 | 89W | A7 / R7 | 10.4" | 26.1" | 82.1" | 10.0-12.0" | 10.0" | 11.5" | X | X |
| 46936 | P295/35ZR19 | 92W | A7 / R7 | 10.0" | 27.3" | 86.0" | 10.0-12.0" | 10.0" | 11.5" | | X |
| 46937 | P315/30ZR19 | 93W | A7 / R7 | 12.0" | 26.1" | 82.2" | 11.0-12.0" | 11.0" | 12.5" | X | X |
| 46945 | P325/30ZR19 | 94W | A7 / R7 | 12.2" | 26.8" | 84.1" | 12.0-13.0" | 13.0" | 13.6" | X | X |
| 46950 | P345/30ZR19 | 98W | A7 / R7 | 13.0" | 26.8" | 84.3" | 12.0-13.0" | 13.0" | 14.1" | X | X |
| 46955 | P245/35ZR20 | 95W | A7 / R7 | 9.1" | 26.8" | 84.3" | 8.0-10.0" | 8.5" | 9.8" | | X |
| 46965 | P265/30ZR20 | 95W | A7 / R7 | 9.8" | 26.7" | 83.9" | 9.0-10.0" | 9.5" | 10.9" | | X |
| 46980 | P295/30ZR20 | 101W | A7 / R7 | 10.6" | 27.2" | 85.5" | 10.0-12.0" | 10.5" | 11.7" | | X |
| 46986 | P305/30ZR20 | 103W | A7 / R7 | 11.8" | 27.1" | 85.3" | 11.0-12.0" | 12.0" | 13.2" | X | X |
| 46996 | P335/25ZR20 | 103W | A7 / R7 | 12.8" | 27.1" | 85.5" | 12.0-13.0" | 12.0" | 13.5" | X | X |

WARNING: DOT labeled Hoosier Racing Tires meet Department of Transportation requirements for racing and performance only and are **NOT INTENDED FOR HIGHWAY USE**. It is unsafe to operate any Hoosier Racing Tire including DOT tires on public roads. The prohibited use of Hoosier Racing tires on public roadways may result in loss of traction, unexpected loss of vehicle control, or sudden loss of tire pressure, resulting in a vehicle crash and possible **SERIOUS PERSONAL INJURY OR DEATH**.

A7 / R7



CIRCUIT RACING D.O.T. - RADIAL WET

| ITEM NUMBER | TIRE SIZE | LOAD/SPEED RATING | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH |
|-------------|----------------|-------------------|-------------------|-------------|--------------|--------------|------------------|--------------------|---------------|
| 46101 | P185/65R13 W2 | 84H | D.O.T. Radial Wet | 6.8" | 22.2" | 69.8" | 5.0-7.0" | 5.5" | 7.9" |
| 46105 | P205/60R13 W2 | 86H | D.O.T. Radial Wet | 7.2" | 23.1" | 72.5" | 6.0-7.5" | 7.0" | 9.3" |
| 46115 | P205/55R14 W2 | 85H | D.O.T. Radial Wet | 7.1" | 23.5" | 73.8" | 5.5-7.5" | 6.5" | 8.7" |
| 46126 | P205/50R15 W2 | 84H | D.O.T. Radial Wet | 7.1" | 23.5" | 73.8" | 5.5-7.5" | 6.5" | 8.2" |
| 46126 | P205/50R15 SMW | 84H | D.O.T. Radial Wet | 7.1" | 23.5" | 73.8" | 5.5-7.5" | 6.5" | 8.2" |
| 46127 | P225/45R15 W2 | 81H | D.O.T. Radial Wet | 8.9" | 22.9" | 72.0" | 7.0-8.5" | 8.0" | 9.4" |
| 46140 | P225/50R16 W2 | 91H | D.O.T. Radial Wet | 8.8" | 24.8" | 77.9" | 7.0-9.0" | 7.0" | 9.6" |
| 46170 | P225/45R17 W2 | 84H | D.O.T. Radial Wet | 8.8" | 24.8" | 77.9" | 7.0-9.0" | 7.5" | 9.5" |
| 46175 | P245/40R17 W2 | 86H | D.O.T. Radial Wet | 9.0" | 24.8" | 77.9" | 8.0-9.5" | 8.0" | 10.0" |
| 46185 | P275/40R17 W2 | 93H | D.O.T. Radial Wet | 10.0" | 25.2" | 79.2" | 9.0-11.0" | 9.5" | 11.3" |
| 46205 | P245/35R18 W2 | 80H | D.O.T. Radial Wet | 9.0" | 24.8" | 77.9" | 8.0-9.5" | 8.0" | 10.0" |
| 46207 | P245/40R18 W2 | 88H | D.O.T. Radial Wet | 8.75" | 25.5" | 80.25" | 8.0-9.5" | 9.0" | 9.75" |
| 46215 | P275/35R18 W2 | 87H | D.O.T. Radial Wet | 10.0" | 25.2" | 79.2" | 9.0-11.0" | 9.5" | 11.3" |
| 46220 | P305/30R18 W2 | 89H | D.O.T. Radial Wet | 11.8" | 25.6" | 80.4" | 11.0-12.0" | 11.0" | 12.7" |

WARNING: DOT labeled Hoosier Racing Tires meet Department of Transportation requirements for racing and performance only and are **NOT INTENDED FOR HIGHWAY USE**. It is unsafe to operate any Hoosier Racing Tire including DOT tires on public roads. The prohibited use of Hoosier Racing tires on public roadways may result in loss of traction, unexpected loss of vehicle control, or sudden loss of tire pressure, resulting in a vehicle crash and possible **SERIOUS PERSONAL INJURY OR DEATH**.

NOTE: H Speed rating = 130 mph/210 km/h

DOT RADIAL WET





TRACK ATTACK PRO

| ITEM NUMBER | Size | Load / Speed | Load ID | Tread Depth | Approved rim range | Inflated OD mm. | Inflated OD in. | Inflated Section mm. | Inflated Section in. | Inflated tread mm | Inflated tread in. | Max Load [kg/lb] | Max Pressure | UTQG | Weight [lb] |
|-------------|------------|--------------|---------|-------------|--------------------|-----------------|-----------------|----------------------|----------------------|-------------------|--------------------|------------------|--------------|---------|-------------|
| 47830 | 265/35ZR18 | (97Y) | TA PRO | 5.3 | 9 - 10.5 | 652 | 25.7 | 263 | 10.4 | 231 | 9.1 | 730/1610 | 51 | 200 A A | 21.5 |
| 47924 | 265/35ZR19 | (98Y) | TA PRO | 5.3 | 9 - 10.5 | 667 | 26.3 | 265 | 10.4 | 242 | 9.5 | 750/1654 | 51 | 200 A A | 21.6 |
| 47836 | 275/35ZR18 | (99Y) | TA PRO | 5.3 | 9 - 11 | 650 | 25.6 | 277 | 10.9 | 252 | 9.9 | 775/1709 | 51 | 200 A A | 22.4 |
| 47934 | 285/35ZR19 | (103Y) | TA PRO | 5.3 | 9.5 - 11 | 688 | 27.1 | 290 | 11.4 | 258 | 10.2 | 875/1929 | 51 | 200 A A | 23.9 |
| 47840 | 295/30ZR18 | (98Y) | TA PRO | 5.3 | 10 - 11 | 643 | 25.3 | 297 | 11.7 | 276 | 10.9 | 750/1654 | 51 | 200 A A | 23.2 |
| 47944 | 305/30ZR19 | (102Y) | TA PRO | 5.3 | 10.5 - 11.5 | 671 | 26.4 | 313 | 12.3 | 279 | 11.0 | 850/1874 | 51 | 200 A A | 24.3 |
| 47854 | 315/30ZR18 | (98Y) | TA PRO | 5.3 | 10.5 - 11.5 | 652 | 25.7 | 318 | 12.5 | 305 | 12.0 | 750/1654 | 51 | 200 A A | 25.6 |
| 47950 | 325/30ZR19 | (105Y) | TA PRO | 5.3 | 11 - 12 | 683 | 26.9 | 329 | 13.0 | 306 | 12.1 | 925/2040 | 51 | 200 A A | 26.2 |
| 47503 | 205/50ZR15 | 89V | TA PRO | 5.3 | 5.5 - 7.5 | 591 | 23.3 | 213 | 8.4 | 186 | 7.3 | 580/1279 | 51 | 200 A A | 17.7 |
| 47711 | 225/45ZR17 | 94W | TA PRO | 5.3 | 7 - 8.5 | 629 | 24.8 | 227 | 8.9 | 210 | 8.3 | 670/1477 | 51 | 200 A A | 19.5 |
| 47914 | 245/35ZR19 | (93Y) | TA PRO | 5.3 | 8 - 9.5 | 660 | 26.0 | 242 | 9.5 | 221 | 8.7 | 650/1433 | 51 | 200 A A | 20.5 |
| 47962 | 245/35ZR20 | (95Y) | TA PRO | 5.3 | 8 - 9.5 | 685 | 27.0 | 248 | 9.8 | 220 | 8.7 | 690/1521 | 51 | 200 A A | 21.5 |
| 47716 | 245/40ZR17 | 95W | TA PRO | 5.3 | 8 - 9.5 | 632 | 24.9 | 248 | 9.8 | 220 | 8.7 | 690/1521 | 51 | 200 A A | 19.8 |
| 47822 | 245/40ZR18 | 97Y | TA PRO | 5.3 | 8 - 9.5 | 658 | 25.9 | 241 | 9.5 | 217 | 8.5 | 730/1610 | 51 | 200 A A | 20.2 |
| 47964 | 265/30ZR20 | (94Y) | TA PRO | 5.3 | 9 - 10 | 673 | 26.5 | 268 | 10.6 | 245 | 9.7 | 670/1477 | 51 | 200 A A | 22.2 |
| 47966 | 265/35ZR20 | (99Y) | TA PRO | 5.3 | 9 - 10.5 | 699 | 27.5 | 269 | 10.6 | 238 | 9.4 | 775/1709 | 51 | 200 A A | 23.1 |
| 47968 | 275/30ZR20 | (97Y) | TA PRO | 5.3 | 9 - 10 | 679 | 26.7 | 271 | 10.7 | 247 | 9.7 | 730/1610 | 51 | 200 A A | 23.1 |
| 47930 | 275/35ZR19 | (100Y) | TA PRO | 5.3 | 9 - 11 | 680 | 26.8 | 268 | 10.6 | 243 | 9.6 | 800/1764 | 51 | 200 A A | 23.2 |
| 47970 | 285/30ZR20 | (99Y) | TA PRO | 5.3 | 9.5 - 10.5 | 685 | 27.0 | 283 | 11.2 | 261 | 10.3 | 775/1709 | 51 | 200 A A | 23.5 |
| 47938 | 295/30ZR19 | (100Y) | TA PRO | 5.3 | 10 - 11 | 666 | 26.2 | 301 | 11.9 | 273 | 10.7 | 800/1764 | 51 | 200 A A | 23.9 |
| 47974 | 295/30ZR20 | (101Y) | TA PRO | 5.3 | 10 - 11 | 691 | 27.2 | 296 | 11.6 | 268 | 10.6 | 825/1819 | 51 | 200 A A | 24.2 |
| 47844 | 295/35ZR18 | (103Y) | TA PRO | 5.3 | 10 - 11.5 | 668 | 26.3 | 296 | 11.7 | 272 | 10.7 | 875/1929 | 51 | 200 A A | 23.7 |
| 47846 | 295/40ZR18 | 103W | TA PRO | 5.3 | 10 - 11.5 | 698 | 27.5 | 301 | 11.9 | 267 | 10.5 | 875/1929 | 51 | 200 A A | 24.8 |
| 47978 | 305/30ZR20 | (103Y) | TA PRO | 5.3 | 10.5 - 11.5 | 697 | 27.4 | 309 | 12.2 | 279 | 11.0 | 875/1929 | 51 | 200 A A | 25.6 |
| 47948 | 315/30ZR19 | (104Y) | TA PRO | 5.3 | 10.5 - 11.5 | 678 | 26.7 | 309 | 12.2 | 290 | 11.4 | 900/1985 | 51 | 200 A A | 25 |
| 47988 | 335/25ZR20 | (103Y) | TA PRO | 5.3 | 11.5 - 12.5 | 681 | 26.8 | 335 | 13.2 | 310 | 12.2 | 875/1929 | 51 | 200 A A | 26.1 |
| 47858 | 335/30ZR18 | (102Y) | TA PRO | 5.3 | 11.5 - 12.5 | 664 | 26.1 | 334 | 13.1 | 314 | 12.4 | 850/1874 | 51 | 200 A A | 25.8 |
| 47706 | 225/40ZR17 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47511 | 225/45ZR15 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47910 | 235/35ZR19 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47960 | 245/30ZR20 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47820 | 245/35ZR18 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47724 | 255/40ZR17 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47922 | 265/30ZR19 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47832 | 265/40ZR18 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47926 | 265/40ZR19 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47940 | 295/35ZR19 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47982 | 315/30ZR20 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47984 | 315/35ZR20 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47986 | 325/30ZR20 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47994 | 325/30ZR21 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47987 | 325/35ZR20 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47998 | 345/25ZR21 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 47954 | 345/30ZR19 | TBD | TA PRO | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |

TRACK ATTACK^{PRO}



REFER TO INSIDE FRONT COVER FOR NO WARRANTY POLICY AND WARNINGS.

INDEPENDENT DEALERS MUST ESTABLISH THEIR OWN PRICES.
FOR PRICING CONTACT YOUR NEAREST DISTRIBUTOR ON BACK OF CATALOG.

FORMULA STUDENT (FSAE)

| ITEM NUMBER | TIRE SIZE | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND |
|-------------|---------------|---------------|-------------|--------------|--------------|------------------|--------------------|---------------|----------|
| 41100 | 6.0/18.0-10 | FSAE-Slick | 8LBS | 6.0" | 18.1" | 6-7" | 7.0" | 8.5" | LC0 |
| 43070 | 16.0 x 6.0-10 | FSAE-Slick | 7LBS | 6.0" | 16.3" | 6-7" | 6.0" | 6.9" | R20 |
| 43075 | 16.0 x 7.5-10 | FSAE-Slick | 8LBS | 7.3" | 16.2" | 6-8" | 8.0" | 8.4" | LC0, R20 |
| 43100 | 18.0 x 6.0-10 | FSAE-Slick | 9LBS | 6.2" | 18.1" | 6.5-7" | 6.0" | 8.1" | R20 |
| 43104 | 18.0 x 7.5-10 | FSAE-Slick | 10LBS | 7.5" | 18.3" | 7-8" | 8.0" | 9.5" | R20 |
| 43164 | 20.5 x 7.0-13 | FSAE-Slick | 11LBS | 7.0" | 21.0" | 5.5-8" | 6.0" | 8.0" | R20 |
| 43167 | 20.0 x 7.5-13 | FSAE-Slick | 12LBS | 8.0" | 20.6" | 7-9" | 8.0" | 9.4" | R20 |
| 44070 | 16.0 x 7.0-10 | Circuit Wet | 7.5LBS | 7.0" | 16.2" | 6-7" | 6.0" | 7.6" | W3 |
| 44115 | 18.0 x 6.0-10 | FSAE-Wet | 9LBS | 6.2" | 17.8" | 6-8" | 6.0" | 7.8" | W3 |
| 44125 | 19.5 x 6.5-10 | Circuit Wet | 10LBS | 6.2" | 19.5" | 6-8" | 6.0" | 8.2" | Wet |
| 44150 | 20.0 x 7.5-13 | Circuit Wet | 12LBS | 7.4" | 20.6" | 6-8" | 7.0" | 8.3" | W3 |
| 44185 | 21.0 x 6.5-13 | Circuit Wet | 11LBS | 6.7" | 20.9" | 6-8" | 6.0" | 7.2" | W3 |



RALLY

| ITEM NUMBER | TIRE SIZE | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND |
|-------------|---------------|----------------------|-------------|--------------|--------------|------------------|--------------------|---------------|-----------|
| 48004 | 185/70R13 | Gravel Rally - Right | 5.8" | 23.5" | 74.0" | 7.0" | 7.0" | 8.2" | MED, HARD |
| 48005 | 185/70R13 | Gravel Rally - Left | 5.8" | 23.5" | 74.0" | 7.0" | 7.0" | 8.2" | MED, HARD |
| 48006 | 185/65R15 | Gravel Rally - Right | 6.5" | 24.8" | 78.0" | 6.0" | 6.0" | 7.4" | MED, HARD |
| 48007 | 185/65R15 | Gravel Rally - Left | 6.5" | 24.8" | 78.0" | 6.0" | 6.0" | 7.4" | MED, HARD |
| 48008 | 195/65R15 | Gravel Rally - Right | 6.7" | 25.2" | 79.0" | 7.0" | 6.0" | 7.7" | MED, HARD |
| 48009 | 195/65R15 | Gravel Rally - Left | 6.7" | 25.2" | 79.0" | 7.0" | 6.0" | 7.7" | MED, HARD |
| 48010 | 205/65R15 | Gravel Rally - Right | 7.1" | 25.3" | 79.5" | 7.0" | 7.0" | 8.75" | MED, HARD |
| 48011 | 205/65R15 | Gravel Rally - Left | 7.1" | 25.3" | 79.5" | 7.0" | 7.0" | 8.75" | MED, HARD |
| 48000 | 235/45R17 | WRX Dry | 8.9" | 25.2" | 79.1" | 8-8.5" | 8" | 9.7" | RX, WRX |
| 48105 | 235/45R17 | WRX Wet | 9.5" | 24.3" | 76.3" | 8-8.5" | 8" | 9.84" | RX Wet |
| 48300 | 195/50R13 TW1 | Tarmac Wet | 6.9" | 20.8" | 65.3" | 7.0" | 7.0" | 7.8" | W |
| 48350 | 225/45R13 TW1 | Tarmac Wet | 8.6" | 20.9" | 65.8" | 7.5" | 7.5" | 8.8" | W |
| 48310 | 195/50R13 TD1 | Symmetric Tarmac | 6.9" | 20.8" | 65.5" | 7.5" | 7.0" | 7.6" | W,S |
| 48320 | 195/50R13 TD1 | Symmetric Tarmac | 6.9" | 20.8" | 65.5" | 7.5" | 7.0" | 7.6" | M,H |
| 48360 | 225/45R13 TD1 | Symmetric Tarmac | 7.8" | 20.8" | 65.5" | 7.5" | 7.5" | 8.5" | W,S |
| 48370 | 225/45R13 TD1 | Symmetric Tarmac | 7.8" | 20.8" | 65.5" | 7.5" | 7.5" | 8.5" | M,H |
| 48500 | 195/50R15 TW1 | Tarmac Wet | 7.0" | 22.8" | 71.5" | 6.5" | 6.5" | 7.6" | W |
| 48570 | 195/50R15 TD1 | Symmetric Tarmac | 7.2" | 22.8" | 71.5" | 6.0" | 6.5" | 7.8" | W,S |
| 48520 | 195/50R15 TD1 | Symmetric Tarmac | 7.2" | 22.8" | 71.5" | 6.0" | 6.5" | 7.8" | M,H |
| 48550 | 225/45R15 TW1 | Tarmac Wet | 8.3" | 23.0" | 72.2" | 7.0" | 7.0" | 8.6" | W |
| 48560 | 225/45R15 TD1 | Symmetric Tarmac | 7.5" | 22.7" | 71.5" | 7.5" | 7.0" | 8.6" | W,S |
| 48570 | 225/45R15 TD1 | Symmetric Tarmac | 7.5" | 22.7" | 71.5" | 7.5" | 7.0" | 8.6" | M,H |
| 48610 | 195/50R16 TD2 | Asymmetric Tarmac | 7.6" | 23.7" | 74.0" | 6.0" | 6.5" | 7.8" | US,S |
| 48620 | 195/50R16 TD2 | Asymmetric Tarmac | 7.6" | 23.7" | 74.0" | 6.0" | 6.5" | 7.8" | M,H |